Health and Safety Manual

Original Issue: July 2009
Formatting and Review: May 2018
Revised: February 2021, September 2022

TABLE OF CONTENTS

Health and Safety Manual 1
Introduction, Purpose, and Scope 7
Introduction 7
Purpose 7
Scope 7
Implementation 7
Safety Classes 8
Safety Committee 8
Safety Survey 8
Risk 9
Chapter 1 – Emergency Response 10
Introduction 1
Emergency Declaration 1
Emergency Declaration Action Plan 11
Emergency Action Group Members and Responsibilities 11
On-Campus Emergency Resources and Phone Numbers 13
All 1 – ..... ,2j .t2an <</M0 11 Tw 12 Tc 0.000.006 Tw 12 -0 0 12 60 440.4 Tm 0.4 Tm .....

Training
Hazard Identification, Assessment, And Control 30
Health and Safety Guidelines and Procedures 31
Personal Protective and Related Equipment 33
Electrical
Chapter 3 – Specific Area Safety Guidelines and Procedures 39
Automotive Shop 3
Chemical and Biological Teaching Laboratories 40
Electrical Laboratory Safety Guidelines 40
Electronics Laboratory Guidelines 41
Groundskeeping Safety Guidelines 41
Housekeeping Safety Guidelines 41
Machine Technology Safety Guidelines 42
Maintenance Department Safety Guidelines 42
Hvac Safety Guidelines 4
Welding Shop Safety Guidelines 43
Chapter 4 – Occupational Health and Safety Programs 44
Hazard Communication Program 44
Safety Data Sheets (SDSs) 48
Occupational Noise Exposure/Hearing Conservation Program 55
Lockout/Tagout Program 59
Chemical Hygiene Plan 6
Exposure Control Plan 7
Appendix A – Confined Space Evaluation Checklist 88
Testing
Monitoring 8
Cleaning
Ventilation 8
Isolation (Lockout/Tagout) 89
Clothing/Equipment 8
Respiratory Protection 8
Training
Standby/Rescue 8

Area Safety Inspection and Correction Summary.....

Chapter 1 – Emergency Response

Introduction

Although there are set guidelines and procedures for responding to various types of events, no one set of responses can cover every eventuality. In an emergency situation, CALL 911 if you need emergency help and no other resource is available. Calling 911 (or 5555) from any Durham Tech phone connects the caller with the Durham Tech police dispatcher. Responses should follow the guidelines of the Business Continuity Plan. The Business Continuity Plan establishes operational priorities identified in a systematic approach to restore facilities and services in the event of an emergency or disaster. The College will use the emergency notification alert system notifying employees and students of emergencies.

The primary goals of any emergency response are to (listed in priority order):

Save human lives;

- Protect human health and safety;
- Protect College property;
- Restore College operations; and
- Support community needs.

Emergency Declaration

Authority to declare a College state of emergency rests with the president (or designee). In case of an emergency, procedures to safeguard personnel and property will be activated. The following definitions are provided as guidelines but are not all inclusive:

Level 1 (Minor Incident)

A Level 1 incident is any incident, potential or actual, that will not seriously affect the overall functional capability of the College. These emergencies can be resolved with existing College resources or limited outside help. Examples of Level 1 incidents include minor chemical spills, low-level acts of violence, water line bursts, and weather-related emergencies which result in closures. An Emergency Operations Center (EOC) may be partially activated or not at all. Some, but not all, Emergency Action Group team positions may be filled to coordinate and support the incident response.

Level 2 (Emergency/Partial Activation)

A Level 2 incident is any incident, potential or actual, that affects an entire building or buildings and which may disrupt the overall operations of the College. These emergencies require a coordinated response beyond normal operating channels. Outside emergency services will probably be required, as well as major efforts from College support services. These situations – extended power outages, gas leaks, fires confined to the local area, etc. – are likely to affect some community members. An EOC may be partially or fully activated. Some, but not all, Emergency Action Group team positions may be filled to coordinate and support the incident response.

- Director, Marketing and Communications/Public Information Officer
  - Serves as a conduit for information to internal and external stakeholders, including the media;
  - Provides written or verbal statements to the media; and
  - Provides written or verbal updates to the College community.

- Planning Officer
  - Prepares and maintains the Incident Action Plan to ensure objectives are accomplished;
  - Collects and evaluates information;
  - Maintains resource status information; and
  - Maintainsdocumentation for incident records.

- Safety Compliance Officer
  - Monitors safety conditions and develops measures for ensuring the safety of assigned personnel; and
  - Provides information regarding hazardous or harmful materials to respond(s)15.6 (o)1.7 ((r)3 (i)

- Housekeeping Closets, All Campus Buildings, Rooms 1-102, 1-123, 3-235, 4-157, 5-106, 5-207, 6-103, 8-121, 9-109C, 9-209C, 10-102A, 10-204A, 10-302C, NDC 1-11, OCC 1-10
- Biology and Chemistry Labs and Storerooms, Collins (Building 2), Rooms 2-102B, 2-108A, 2-112, 2-126, 2-126B, 2-128, 2-128A, 2-132, 2-132A, 2-136A
- Biology and Biotechnology Labs, Chemical Cabinets
    - Northern Durham Center, Rooms NDC 1-112, 1-114
    - Orange County Campus, Rooms OCC 1-201, 1-223, 1-223A, 1-223B, 1-225

Care of Combustibles
Shops where flammable products are stored and/or used are most often identified as high risk areas. Employees who use flammable products are instructed to take precautions to ensure that storage containers are maintained in a safe condition and are capped and stored in an approved flammable cabinet where there is little danger of fire.

Major or Minor Fires
In the case of fire or smoke of undetermined origin, the following steps should be taken:

You must follow the R.A.C.E. fire procedure before attempting to extinguish any fire.

1. *Rescue/Remove*
   Rescue or remove any persons from the immediate scene.

2. *Alert/Activate*
   Pull the nearest alarm and call 911, then the following numbers:
   Campus Police and Public Safety at ext. 5555 (919) 536-5555 (h)6.3 67 0 Td24 ,(5)119

b. Do not touch any suspicious objects.
c. Do not use elevators.
d. Close, but do not lock, doors and windows.
e. Do not block entrances, roadways, walkways, or fire hydrants.

2. Move away from the area and warn others to stay away.
3. Move to the designated outdoor assembly areas found on emergency procedures signage.
4. Take a headcount if possible.
5. Report any unusual observations to Campus Police and Public Safety or emergency personnel.
6. Do not return to an evacuated building until an "all-clear" signal is issued.

Bomb Threat Procedure Checklist

What to do	Information to Obtain
Record the date of the call: Record the time of the call:	When and where is the bomb going to explode?
Stay focused and stay on the phone for the entire message.	What does the bomb look like? Is it contained in something lik box or bag?

Try to alert a colleague and have him or her

Medical/Psychological Crisis

If a serious or life-threatening medical emergency occurs, call 911 and Campus Police and Public Safety at ext. 5555 (or 919-536-7255, option 1, if using a cell phone or outside line). Provide officials with the individual's name, telephone number, location, and a description of the problem.

Complete the following steps while you await assistance:

1. Stay with the individual until emergency help arrives; never leave an affected individual alone, if at all possible. If he or she is conscious, ask what the problem is. If not, check for breathing and bleeding.
2. Ask people to clear the area if they are not providing needed assistance.
3. Avoid contact with any visible body fluids such as blood or vomit, and do not attempt to clean up any blood or bodily fluids. Direct someone to report spillage of any body fluids to Campus Police and Public Safety at ext. 5555 (or 919-536-7255, option 1, if using a cell phone or outside line).
4. Keep the individual still, comfortable, and warm.
5. Protect him or her from any disturbances.
6. Check/ask for any emergency identification (such as an ID bracelet).
7. Wait for emergency help to arrive. Someone from Campus Police and Public Safety will come to you.

If a psychological crisis (e.g., suicide attempt, disorientation, confusion) occurs, call 911 and Campus Police a

Civil Disturbances

Workplace Violence

In all situations, if violence appears to be imminent, employees should take the precautions necessary to assure their own safety and the safety of others.

Violence	Steps
Occurring or imminent	1. Seek safety first. 2. Call Campus Police and Public Safety at ext. 5555 (5T fiy(12.),j /T

Workplace Violence Report

Please complete this report as soon as feasible and submit it to Campus Police.

Your Name: Phone Number and/or Extension:

Severe or Inclement Weather

The chief of Police and safety compliance officer receives weather notifications from the National Weather Service and Durham Emergency Management. When severe or inclement weather is possible, a watch or warning is issued by the National Weather Service and/or local media:

- A watch is issued when people in the watch area should prepare for the possibility of dangerous weather. When a watch is issued, regular activities and operations are to be continued until further notice.
- A warning is issued when dangerous weather has been sighted (e.g., tornado, high winds, flooding, lightning). When a warning is issued for areas that include Durham Tech, the College community will b informed of the precautions to take via the emergency notification alert system.

Please review the Inclement Weather procedure for details regarding delays and closures.

Tornado or High Wind Warnings

The College community will be notified of any area tornado or high wind warning. Employees, students, and visitors should proceed to the appropriate Weather Shelter Areas (designated with the tornado symbol on emergency response posters found in classrooms, hallways, and at building exits).

Please monitor emergency information channels on a radio or cell phone, and do not return to classrooms or work areas until you receive an “all clear” signal or notification.

Flash Flood

If a flash flood prevents departure from campus, employees, students, and visitors will be instructed to proceed to the highest floor areas in each building and remain there until emergency assistance arrives.

Violent Crime or Criminal Activity

If you suspect any illegal activity or if you observe any of the following occurring on or around College property:

- A scream or call for help
- Abnormal 0.0 (o)-2.4 (k /LBod(t)5.6 (l)16.4 (e6ur)7 (1-2.3 v(s)1 (.)6 (h-2.4 (ci.4 (f)9 ( )]T1f 0.5 0 (ar)3

5. Note a description of any suspects involved, including the following:
   - Race;
   - Gender/sex;
   - Height;
   - Weight;
   - Age;
   - Name(s) used;
   - Hair color;
   - Method and direction of travel; and
   - Distinguishing marks (e.g., scars, tattoos,).
6. Note a description of any vehicles involved, including the following:
   - Colors;
   - Makes and models;
   - License plate numbers;
   - Number of occupants; and
   - Any noticeable damage or uniqueness.

Firearms

North Carolina Law (N.C.G.S. §14-269.2) generally prohibits the open or concealed carrying of weapons either on community college property. Weapons are defined as firearms, explosives, BB guns, stun guns, air rifles o pistols, and certain knives and sharp instruments. However, the General Assembly has enacted a limited exception to the general pr tmns]TJ 0.7 (an)-f2 ( )]TJ -a04l4t6.4 (o)-4 .7 (p)en

Decision Making for Active Shooter on Campus/Lockdown

In the initial phases of an active shooter situation, individuals will need to make decisions based upon their assessment of the situation but

Modified Lockdown
The purpose of a modified lockdown is to secure exterior doors while normal activities and operations continue inside buildings. Modified lockdowns are used when a dangerous situation is probable in a building access should be restricted.

When employees are directed to initiate a modified lockdown, they should secure their building's exterior doors, close blinds, and continue normal activities until an all clear signal is given.

During a modified lockdown, you may grant entry to people you know and/or who do not fit the description of the suspect.

When the situation is secure, an announcement will be made using the emergency notification alert system.

Hazardous Materials Emergency Contingency Plan

A hazardous material is any item or agent (biological, chemical, radiological, and/or physical), which has the potential to cause harm to humans, animals, or the environment, either by itself or through interaction with other factors. If you are unsure whether a material is hazardous, err on the side of caution, and assume that it may be.

If you suspect possible danger from a material, complete the following steps:

1. Call Campus Police and Public Safety at ext. 5555 (or 530-752-5555, option 1, if using a cell phone or outside line).
2. Warn everyone in the immediate hazard area.
3. Evacuate, if necessary.
4. Do not attempt to clean up a spill unless both of the following apply:
   a. The spill is incidental.
   b. You have been trained on the proper procedure and have the proper personal protective equipment (PPE).
5. Be aware of offensive or irritating odors or fumes resulting from spills and be prepared to evacuate to avoid potentially dangerous fumes.

All laboratory and maintenance personnel should be prepared to assist in the assessment of spills within their areas but only if requested to do so by local emergency personnel or a hazardous materials team. Consult th

Gas Leak
If a gas leak occurs, please complete the following steps:

1. Activate the emergency shut-

- Conducts inspections to identify unhealthy or unsafe conditions or work practices. Completes written reports of inspections.
- Recommends programs and activities that will motivate and incentivize employees.
- Maintains OSHA 30 Hour General Industry qualification.
- Vice presidents, assistant vice presidents, deans, department/division heads
- Familiarize themselves with health and safety regulations related to their areas of responsibility.
- Direct, implement, and coordinate health and safety program elements and activities within areas of responsibility.
- Require all employees supervised to use individual protective equipment and safety devices.
- Ensure that safety equipment is available, maintained, used, and stored correctly.
- Ensure that all employees within their areas of responsibility receive job safety and health training as required.
- Ensure that directors/chairs and supervisors are aware of and in compliance with safety requirements.
- Investigate all accidents within their areas of responsibility. Review all accidents/incidents with supervisors and employees involved. Ensure accident reports and Workers' Compensation forms are completed and submitted as appropriate. Ensure that corrective action is taken immediately to eliminate the cause of the accident.
- Maintain copies of applicable records.

General Workplace Safety

-

- When heat-producing equipment is used, the work area must be kept clear of all fire hazards, and all combustible materials will be eliminated.
- Fire extinguishers will be available at all times when utilizing heat-producing equipment.

Industrial Hygiene and Occupational Health

- Employees exposed to noise levels above the permissible noise level will be included in the hearing conservation program. Hazardous noise areas will be posted, and hearing protection will be worn in those areas as requo7xoel .7 (e)2 (ar0 Tw ( )Tj EMC /LBody <</MCID 6 >>BDC -1.5 -1.283 Td (•)T4

- Portable ladders will be placed as to prevent slipping or, if used on other than stable, level, and dry surfaces, will be tied off or held. A simple rule for setting up a ladder at the proper angle is to place the base from the vertical wall equal to one-fourth the working length of the ladder.
- Portable ladders will extend at least three (3) feet above the upper level to which the ladder is used to gain access.
- The top of a stepladder will not be used as step.
- Only one (1) person will be on a ladder at a time.

Flammable and Combustible Liquids

- Only approved safety cans, original containers, or portable tanks will be used to store flammable or combustible liquids. Small quantities (less than 500 milliliters) for laboratory use will be stored in

- Anti-kickback teeth and spreaders will be used when rip sawing.
- Portable abrasive side grinder grinders will have guards installed covering the upper and back portions of the abrasive wheel. Wheel speed ratings will never be less than the grinder RPM speed.
- Pedestal grinders will be permanently mounted, tool rests installed and adjusted to within 1/8 inch of the wheel, tongue guards installed and adjusted to within 1/4 inch of the wheel, and side spindle/nut guards installed.
- Air compressor receivers will be drained frequently to prevent build up of water in the tank.
- Compressed air will not be used for cleaning purposes except when pressure is reduced to less than

.

- Preoperational Inspection: Authorized employees will conduct an inspection of the forklift prior to operation. This inspection shall include checking fluid levels, pressures, leaks, tire condition, horns/alarms, mast/forks, controls/gauges, and safety equipment. Never operate equipment that is unsafe.
- Safety Equipment: Authorized employees will wear a safety belt when operating the forklift. Alarms and safety equipment shall not be disabled or bypassed. The forklift should have a working backup alert.
- Operation: Never allow passengers to ride on the forklift. Never use the lift or forks to raise or lift any employee unless an approved work platform with fall protection is used. Never raise the load in an attempt to see under the load. The use of forklifts outdoors is dangerous and can present hazards not found in a warp (f)9 (a-1mos)15.7.6 (2 (ha)20.3 (73.7 (f))3 (ai2Td ( )Tj .7 (p ((r))19.7 (p (f)9 (a-1mo