# SAFETY DATA SHEET

Valvoline ŒDurablend ŒSYNTHETIC BLEND GREASE

VV27910

Handling

| | | |
|---|---|---|
| Technical measures | : | Normal measures for preventive fire protection. |
| Advice on safe handling | : | Smoking, eating and drinking should be prohibited in the application area.<br>For personal protection see section 8.<br>Dispose of rinse water in accordance with local and national |
| Avoidance of contact | : | Strong oxidizing agents |

Storage

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

| | | |
|---|---|---|
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Solubility in other solvents | : | No data available |
| Relative vapour density | : | No data available |
| Relative density | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| [redacted] | : | > 315 °C |
| Thermal decomposition | : | No data available |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | > 20.5 mm2/s (40 °C) |
| Oxidizing properties | : | No data available |

10. STABILITY AND REACTIVITY data available

Method: Acute toxicity estimate

| | | |
|---|---|---|
| Skin corrosion/irritation | : | Result: Not irritating to skin |
| Serious eye damage/eye irritation | : | Result: Not irritating to eyes<br>Unlikely to cause eye irritation or injury. |
| Respiratory or skin sensitisation | : | No data available |
| Further information | : | No data available |

Components :

RESIDUAL OILS (PETROLEUM), SOLVENT -REFINED:

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 Rat: > 5,000 mg/kg<br>Information given is based on data obtained from similar substances. |
| Acute inhalation toxicity | : | LC50 Rat: > 5.53 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: |

MOLYBDENUM DISULFIDE :

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 Rat: > 5,000 mg/kg |
| Acute inhalation toxicity | : | LC 50 Rat: > 2.82 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>No adverse effect has been observed in acute inhalation toxicity tests. |

## 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product :

No data available

Components :

RESIDUAL OILS (PETROLEUM), SOLVENT -REFINED:

| | | |
|---|---|---|
| Toxicity to fish | : | LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Test Method: static test<br>Test substance: WAF<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Scud (Gammarus pulex)): > 10,000 mg/l<br>Exposure time: 48 h<br>Test Method: semi-static test<br>Method: OECD Test Guideline 202 |
| Toxicity to algae | : | NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l<br>Exposure time: 72 h<br>Test Method: static test<br>Test substance: WAF<br>Method: OECD Test Guideline 201 |

Persistence and degradability

Product :

No data available

Components :

RESIDUAL OILS (PETROLEUM), SOLVENT -REFINED:

| |
|---|
| Biodegradability |

Method: OECD Test Guideline 301B
Information given is based on data obtained from similar substances.

Bioaccumulative potential

Product :

Partition coefficient: n-

Dispose of in accordance with local regulations.

Furthe r information

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :
ACGIH : American Conference of Industrial Hygienists
BEI : Biological Exposure Index
CAS : Chemical Abstracts Service (Division of the American Chemical Society).
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
FG : Food grade
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
H-statement : Hazard Statement
IATA : International Air Transport Association.
IATA- ' * 5 ' D Q J H U R X V * R R G V 5 H J X O D W L R Q E \ W K H ³, Q W H U Q D W L R Q D O

WHMIS : Workplace Hazardous Materials Information System