

#### SECTION PRODUCT AND COMPANY IDENTIFICATION

### ESL ay Lu ricant

Product identifier WAY OIL

Other eans of identification

Reco ended use WAY OIL
Reco ended restrictions None known.

Manufacturer I porter Supplier Distri utor infor ation

Manufacturer

Co pany na e DOALL SAWING PRODUCTS

A DOALL COMPANY 2375 Touhy Avenue Elk Grove Village, IL 60007 888-362-5572, Ext 65047

Telephone . General

Infor ation

E ergency telephone

1-800-424-9300 (CHEMTREC)

nu er

E ergency telephone nu er outside USA

1-703-527-3887 (CHEMTREC)

# SECTION HAZARDS IDENTIFICATION

CLASSIFICATION Not classified as hazardous according to 29 CFR 1910.1200 (2012).

HAZARDS NOT OTHER ISE CLASSIFIED Not Applicable

### SECTION COMPOSITION INFORMATION ON INGREDIENTS

COMPONENTS	CAS NUMBER	AMOUNT
Highly refined mineral oil (C15 - C50)	Mixture	70 - 99 %wt/wt

#### SECTION FIRST AID MEASURES

#### Description of first aid easures

**Eye** No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

**Skin** No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

**Ingestion** No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice. **Inhalation** No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.



Most i portant sy pto s and effects oth acute and delayed IMMEDIATE SYMPTOMS AND HEALTH EFFECTS

Eye Not expected to cause prolonged or significant eye irritation.

Skin

SECTION FIRE FIGHTING MEASURES




SECTION, HANDLING AND STORAGE

#### SECTION EXPOSURE CONTROLS PERSONAL PROTECTION

#### **GENERAL CONSIDERATIONS**

Consider the potential hazards of this material (se




SECTION PHYSICAL AND CHEMICAL PROPERTIES

#### SECTION STABILITY AND REACTIVITY

**Reactivity** May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

**Che ical Sta ility** This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.





(0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme, PPE:- Personal Protection Equipment Index recommendation, \*- Chronic Effect Indicator). These values are obtained using the guidelines or published evaluations prepared by the National Fire Protection Association (NFPA) or the National Paint and Coating Association (for HMIS ratings).

#### LABEL RECOMMENDATION

Label Category: INDUSTRIAL OIL 1 - IND1

REVISION STATEMENT This revision updates the following sections of this Safety Data Sheet: 1-16

Revision Date JUNE 1, 2015

#### ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT

TLV - Threshold Limit Value	TWA - Time Weighted Average
STEL - Short-term Exposure Limit	PEL - Permissible Exposure Limit
GHS - Globally Harmonized System	CAS - Chemical Abstract Service Number
ACGIH - American Conference of Governmental Industrial Hygienists	IMO/IMDG - International Maritime Dangerous Goods Code
API - American Petroleum Institute	SDS - Safety Data Sheet
HMIS - Hazardous Materials Information System	NFPA - National Fire Protection Association (USA)
DOT - Department of Transportation (USA)	NTP - National Toxicology Program (USA)
IARC - International Agency for Research on Cancer	OSHA - Occupational Safety and Health Administration
NCEL - New Chemical Exposure Limit	EPA - Environmental Protection Agency
SCBA - Self-Contained Breathing Apparatus	

Amended to conform to the United Nations' Globally Harmonized System of Classifications and Labeling of Chemicals (OSHA/GHS).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**END OF SAFETY DATA SHEET**